

Logic 2: Modal Logic

Lecture 16

Wolfgang Schwarz

University of Edinburgh

Review

Indicative:

- If Oswald **did not kill** Kennedy, someone else **did**.

Subjunctive/counterfactual:

- If Oswald **had not killed** Kennedy, someone else **would have**.

Two hypotheses about indicative conditionals

1. 'if A then B ' means $A \rightarrow B$
2. 'if A then B ' means $\Box(A \rightarrow B)A \rightarrow B$

Review

		$A \rightarrow B$	$A \rightarrow B$
<i>Modus Ponens</i>	if A then B, A \therefore B	valid	valid
<i>Conditional Proof</i>	A entails B \therefore if A then B	valid	valid
<i>Or-to-If</i>	$A \vee B \therefore$ if not A then B	valid	invalid
<i>Import-Export</i>	if A then if B then C \therefore : if A and B then C	valid	invalid
<i>Contraposition</i>	if A then B \therefore if not B then not A	valid	valid
<i>Transitivity</i>	if A then B, if B then C \therefore if A then C	valid	valid
<i>SDA</i>	if A or B then C \therefore if A then C and if B then C	valid	valid
<i>Antec. Strength.</i>	if A then C \therefore if A and B then C	valid	valid
<i>False Antec.</i>	not A \therefore if A then B	valid	invalid
<i>True Cons.</i>	B \therefore if A then B	valid	invalid

Similarity semantics

- If Oswald had not killed Kennedy then someone else would have.

Intuitively, to assess a subjunctive conditional, we

1. rewind the world to the time of the antecedent,
2. make minimal changes to render the antecedent true,
3. then let history run its course.

The conditional is true iff the consequent is true at all the resulting worlds.

Different antecedents call for different revisions to the actual world.

- If Oswald had not killed Kennedy ...
- If Marilyn Monroe had killed Kennedy ...
- If Kennedy had died as an infant ...

$\Box(A \rightarrow C)$ entails $\Box((A \wedge B) \rightarrow C)$.

But


- If Oswald had not killed Kennedy then Kennedy would have been re-elected.

does not entail

- If Marilyn Monroe had killed Kennedy then Kennedy would have been re-elected.

Similarity semantics

p : Oswald kills Kennedy
 q : Monroe kills Kennedy



Similarity semantics

$A \Box \rightarrow B$ is true at w iff B is true at all the most similar A -worlds to w .

A **similarity model** consists of

- a non-empty set W of worlds,
- for each world w in W a similarity order \prec_w , and
- a function V that assigns to each sentence letter a subset of W .

Similarity semantics for $\Box \rightarrow$

If M is a similarity model and w a world in M , then

$M, w \models A \Box \rightarrow B$ iff $M, v \models B$ for all v such that (i) $M, v \models A$ and (ii) there is no $u \prec_w v$ with $M, u \models A$.

Similarity semantics

		$A \rightarrow B$	$A \neg\rightarrow B$	$A \square\rightarrow B$
<i>Modus Ponens</i>	if A then B , $A \therefore B$	valid	valid	valid
<i>Conditional Proof</i>	A entails $B \therefore$ if A then B	valid	valid	valid
<i>Or-to-If</i>	$A \vee B \therefore$ if not A then B	valid	invalid	invalid
<i>Import-Export</i>	if A then if B then $C \therefore$ if A and B then C	valid	invalid	invalid
<i>Contraposition</i>	if A then $B \therefore$ if not B then not A	valid	valid	invalid
<i>Transitivity</i>	if A then B , if B then $C \therefore$ if A then C	valid	valid	invalid
<i>SDA</i>	if A or B then $C \therefore$ if A then C and if B then C	valid	valid	invalid
<i>Antec. Strength.</i>	if A then $C \therefore$ if A and B then C	valid	valid	invalid
<i>False Antec.</i>	not $A \therefore$ if A then B	valid	invalid	invalid
<i>True Cons.</i>	$B \therefore$ if A then B	valid	invalid	invalid

If-clauses as restrictors

- (1) If the murderer escaped through the window, there must be traces on the ground.
- (2) If the murderer escaped through the window, there might be traces on the ground.

(1) should not be translated as $p \rightarrow \Box q$ or $p \rightarrow \neg \Box q$. But $\Box(p \rightarrow q)$ works.

(2) cannot be translated as $\Diamond(p \rightarrow q)$. Better: $p \rightarrow \Diamond q$. Even better: $\Diamond(p \wedge q)$.

- (1) If it rains, we always stay inside.
- (2) If it rains, we sometimes stay inside.
- (3) If it rains, we usually stay inside.

(1) can't be translated as $p \rightarrow \Box q$ or $p \rightarrow \exists \Box q$. But $\Box(p \rightarrow q)$ works.

(2) can't be translated as $p \rightarrow \Diamond q$ or $\Diamond(p \rightarrow q)$. But $\Diamond(p \wedge q)$ works.

(3) can't be translated as $p \rightarrow Mq$ or $M(p \rightarrow q)$ or $M(p \wedge q)$ or

- (1) If it rains, we always stay inside.
 - (2) If it rains, we sometimes stay inside.
 - (3) If it rains, we usually stay inside.
-
- (1) says that in all situations **in which it rains**, we stay inside.
 - (2) says that in some situations **in which it rains**, we stay inside.
 - (3) says that in most situations **in which it rains**, we stay inside.

- (1) If the murderer escaped through the window, there must be traces on the ground.
- (2) If the murderer escaped through the window, there might be traces on the ground.

(1) says that in all epistemically accessible worlds **at which the murderer escaped through the window**, there are traces on the ground.

(2) says that in some epistemically accessible worlds **at which the murderer escaped through the window**, there are traces on the ground.

(1) Jones should help his neighbours.

(2) If Jones won't help his neighbours, he shouldn't tell them that he is coming.

(1) says that in the best of the circumstantially accessible worlds, Jones helps his neighbours.

(2) says that in the best of the circumstantially accessible worlds **at which Jones won't help his neighbours**, Jones doesn't tell them that he is coming.

“The history of the conditional is the story of a syntactic mistake. There is no two-place *if...then* connective in the logical forms of natural languages. *If*-clauses are devices for restricting the domains of various operators. Whenever there is no explicit operator, we have to posit one.”

— Angelika Kratzer, 1991



- (1) If Oswald didn't kill Kennedy, then someone else killed Kennedy.
- (1b) If Oswald didn't kill Kennedy, then someone else **must have** killed Kennedy.

(1b) says that in all epistemically accessible worlds **at which Oswald didn't kill Kennedy**, someone else killed Kennedy.

This is equivalent to $p \rightarrow q$, with an epistemic accessibility relation.

(2) If Oswald hadn't killed Kennedy, then someone else **would** have killed Kennedy.

Perhaps 'would' is a modal operator, meaning something like 'it is settled that'.

- She wrote a book. It would later become a bestseller.

Suppose 'would q ' is true iff the laws of nature together with the current facts entail q .

So 'would q ' is true at w iff q is true at all the closest worlds to w .

'If p would q ' is true at w iff q is true at all the closest **p -worlds** to w .

This is equivalent to $p \Box \rightarrow q$.